

Zexstar este singura firma din Romania care distribuie intreaga gama de LED-uri Nichia, la cel mai bun pret. Pe baza de comanda putem oferi orice model Nichia. Pentru detalii va rugam sa ne contactati la vanzari@zexstar.com



Seria 183

Cod Nichia	Flux Luminos mediu (lm)	Pt. Curent (ma)	CRI	Intesitate luminoasa medie (Cd)	Voltaj tipic (V)	Voltaj max.
LED Alb Rece						
NS6W183	225	700		73	3.5	4
NS6W183R	225	115			21	22
NS6W183-H3	195	700	75		3.5	4
NS6W183R-H3	195	115	75		21	22
NS6W183-H1	160	700	85		3.5	4
NS6W183A	135	350		44	3	3.6
NS6W183AR	135	60		44	18.5	20.5
NS3W183A	125	350		41	3.3	4
NS3W183AR	125	115		41	10	11
NS3W183	120	350		40	3.5	4
NS3W183R	120	115			10.5	11
NS6W183A-H3	115	350	80	37	3	3.6
NS6W183AR-H3	115	60	80	37	18.5	20.5
NS3W183A-H3	110	350	80	36	3.3	4
NS3W183AR-H3	110	115	80	36	10	11
NS3W183-H3	100	350	75		3.5	4
NS3W183R-H3	100	115	75		10.5	11
NS6W183A-H1	95	350	85	31.6	3	3.6
NS3W183A-H1	95	350	85	31.6	3.3	4
NS3W183-H1	90	350	85		3.5	4
LED Alb Cald						
NS6L183-H3	175	700	75	60	3.5	4
NS6L183R-H3	175	115	75		21	22
NS6L183-H1	145	700	85		3.5	4
NS6L183A-H3	105	350	80	35	3	3.6
NS6L183AR-H3	105	60	80	35	18.5	20.5
NS3L183A-H3	100	350	80	33	3.3	4
NS3L183AR-H3	100	115	80	33	10	11
NS3L183-H3	95	350	75	32	3.5	4
NS3L183R-H3	95	115	75		10.5	11
NS6L183A-H1	85	350	85	28.4	3	3.6
NS3L183A-H1	85	350	85	27.3	3.3	4
NS3L183-H1	80	350	85		3.5	4



Seria 153

Cod Nichia	Flux Luminos mediu (lm)	Pt. Curent (ma)	CRI	Intesitate luminoasa medie (Cd)	Voltaj tipic (V)	Voltaj max.
LED Alb Rece						
NS9W153M	350	350			10.5	11.5
NS9W153AM	140	350		46	8.8	10
NS9W153AM-H3	120	120	80	39	8.8	10
LED Alb Cald						
NS9L153M-H3	250	350	75	85	10.5	11.5
NS9L153AM-H3	115	120	80	37	8.8	10



Seria 219

Cod Nichia	Flux Luminos mediu (lm)	Pt. Curent (ma)	CRI	Intesitate luminoasa medie (Cd)	Voltaj tipic (V)	Voltaj max.
LED Alb Rece						
NVSW219A	140	350		45	3	3.5
NCSW219A	135	350		44	3.3	3.8
NVSW219A-H3	115	350	80	36	3	3.5
NCSW219A-H3	110	350	80	36	3.3	3.8
LED Alb Cald						
NVSL219A-H3	110	350	80	37	3	3.5
NCSL219A-H3	105	350	80	36	3.3	3.8
NVSL219A-H1	84	350	85	26	3	3.5
NCSL219A-H1	80	350	85	27	3.3	3.8



Seria 157

Cod Nichia	Flux Luminos mediu (lm)	Pt. Curent (ma)	CRI	Intesitate luminoasa medie (Cd)	Voltaj tipic (V)	Voltaj max.
LED Alb Rece						
NS2W157AR	57	75		19.1	6.1	6.8
NFSW157A	55	150		18.5	3.2	3.6
NS2W157R	55	75			6.4	7
NS2W157AR-H3	50	75	80	16.9	6.1	6.8
NFSW157A-H3	48	150	80	16.3	3.2	3.6
NS2W157AR	43	60			5.95	6.4
NS2W157R	41	60			6.2	6.6
NFSW157A	36	100			3	3.4
NSSW157A	31	80		10.6	3	3.4
NSSW157	30	80			3.2	3.6
NSSW157A	29	80		9.5	3	3.4
NSSW157A-H3	27	80	80	9.4	3	3.4
NSSW157	26	80			3.1	3.4
NESW157A	14.5	40		4.7	3	3.4
NESW157A	13.5	40		4.4	3	3.4
NESW157A-H3	11.5	40	80	4	3	3.4
NHSW157A	7.5	20		2.6	3.1	3.4
NHSW157A	7	20		2.3	3.1	3.4
NHSW157A-H3	6.5	20	80	2.3	3.1	3.4
LED Alb Cald						
NS2L157AR-H3	46	75	15.6	80	6.1	6.8
NFSL157A-H3	44	150	14.9	80	3.2	3.6
NS2L157R-H3	42	75		75	6.4	7
NSSL157A-H3	25	80	8.8	80	3	3.4
NSSL157-H3	23	80		75	3.2	3.6
NESL157A-H3	11.5	40	4	80	3	3.4
NHSL157A-H3	6	20	2.1	80	3.1	3.4

1