

# PRODUCT DATASHEET

## Linear LED Flat 6 W 3000 K

Linear LED Flat | Slim undercabinet luminaire for surface mounting

---

### AREAS OF APPLICATION

- Undercabinet lighting



---

### PRODUCT BENEFITS

- Connection of up to 43 (ECO version) or 18 (sensor Version) luminaires in a row
- Various accessories included: cables and connectors



## TECHNICAL DATA


### Electrical data

<b>Nominal wattage</b>	6.00 W
<b>Nominal voltage</b>	220...240 V
<b>Mains frequency</b>	50/60 Hz

### Photometrical data

<b>Color temperature</b>	3000 K
<b>Color rendering index Ra</b>	>80
<b>Light color (designation)</b>	Warm White
<b>Luminous flux</b>	300 lm

### Dimensions & weight



<b>Length</b>	370.0 mm
<b>Width</b>	67.0 mm
<b>Height</b>	22.0 mm
<b>Product weight</b>	325.00 g

### Colors & materials

<b>Body material</b>	Aluminum
<b>Housing color</b>	Silver
<b>Product color</b>	Silver
<b>Cover material</b>	Polycarbonate (PC)

### Temperatures & operating conditions

<b>Ambient temperature range</b>	-20...40 °C
----------------------------------	-------------

### Additional product data

<b>Mounting type</b>	Surface
----------------------	---------

<b>Mounting location</b>	Cabinet undersides
--------------------------	--------------------

Capabilities

<b>Dimmable</b>	No
<b>Type of connection</b>	Plug, EU
<b>LED module replaceable</b>	Not replaceable

Certificates & standards

<b>Protection class</b>	II
<b>Type of protection</b>	IP20
<b>Standards</b>	CE/EAC/REACH/RoHS

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075264144	Folding carton box 1	38 mm x 71 mm x 400 mm	339.00 g	1.08 dm <sup>3</sup>
4058075264151	Shipping carton box 8	422 mm x 334 mm x 99 mm	3706.00 g	13.95 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.