

# **PRODUCT DATASHEET**ENDURA GARDEN Flood 10 W 830 Spike

**ENDURA GARDEN FLOOD | LED outdoor floodlights with ground spike** 



## **AREAS OF APPLICATION**

- Outdoor
- Gardens

#### **PRODUCT BENEFITS**

- Easy connection thanks to Plug and Play technology
- Pleasant, warm white light
- Energy-efficient thanks to LED technology

#### **PRODUCT FEATURES**

- 2 m cable with Schuko plug (type F)
- Type of protection: IP65



# **TECHNICAL DATA**


# Electrical data

Nominal wattage	10.00 W
Operating mode	Electronic control gear (ECG)
Nominal voltage	220240 V
Mains frequency	50/60 Hz

## Photometrical data

Color temperature	3000 K	
Color rendering index Ra	≥80	
Light color (designation)	Warm White	
Luminous flux	800 lm	
Luminous efficacy	80 lm/W	

# Dimensions & weight



Length	44.0 mm
Width	108.0 mm
Height	292.0 mm
Product weight	500.00 g

# Colors & materials

Body material	Aluminum
Housing color	Dark gray
Product color	Dark gray
Cover material	Glass

# Temperatures & operating conditions

Ambient temperature range	-2045 °C

## Additional product data

Mounting type	Ground spike
Mounting location	Ground

## Capabilities

<b>Dimmable</b> No	
Type of connection Protective contact Plug (Schuko)	
LED module replaceable	Not replaceable

#### Certificates & standards

Protection class	1
Type of protection	IP65
Standards	CE/EAC/REACH/ROHS

## **EQUIPMENT / ACCESSORIES**

- Complete mounting and connecting accessories included

## **LOGISTICAL DATA**

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075206847	Folding carton box 1	62 mm x 187 mm x 173 mm	570.00 g	2.01 dm³
4058075206854	Shipping carton box 8	385 mm x 260 mm x 195 mm	4818.00 g	19.52 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.